

View Online at <https://aerobasegroup.com/nsn/6625-01-276-8824>

**Circuit Current For Which Designed:**

Ac

**Overall Length:**

6.190 inches

**Center To Center Distance Between Mounting Facilities Parallel To Length:**

7.875 inches

**Center To Center Distance Between Mounting Facilities Parallel To Width:**

9.875 inches

**Overall Height:**

11.000 inches

**Overall Width:**

9.000 inches

**Mounting Hole Diameter:**

0.406 inches

**Scale Division Quantity:**

120 single indicator single range

**Environmental Protection:**

Corrosion resistant and dust resistant and humidity resistant and vibration resistant and water resistant

**Furnished Items And Quantity:**

Nut 4; seal 1; lamp 2

**Indicator Type:**

Dial w/pointer

**Installation Design:**

Panel

**Mounting Arrangement Style:**

Four hole/stud rectangular/square

**Dial Scale Marking Color:**

White single indicator single range

**Accuracy In Percent:**

-2.0/+2.0 at full scale single indicator single range

**Movement Type:**

Moving coil, permanent magnet

**Background Color:**

Black single indicator single range

**Pointer Color:**

White single indicator single range

**Scale Marking:**

60; 50; 40; 30; 20; 10; 0; 10; 20; 30; 40; 50; 60; port; stbd; rate of turn; degrees per min

**Mounting Facility Type And Quantity:**

4 screw and 4 unthreaded hole

**Scale Graduation Type:**

Linear single indicator single range

**Features Provided:**

Self-illumination facility

**Movement Suspension Method:**

Jewel pivot base

**Circuit Attachment Method And Quantity:**

4 solderless lug

**Operating Voltage Rating In Volts:**

115.0 ac

**Material:**

Aluminum

**Nuclear Hardness Critical Feature:**

Nonhardened

**Surface Treatment:**

Enamel and paint

**Special Test Features:**

Complies with mil-m-10304

**Style Designator:**

Rectangular surface mtg

**Fsc Application Data:**

Test set, elect. Equip.

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A310a0