## NSN 6625-01-299-4400

Ammeter - Page 1 of 2

Moving iron vane



View Online at https://aerobasegroup.com/nsn/6625-01-299-4400

Circuit Current For Which Designed
Circuit Current For Which Designed:
Ac
Dielectric Withstanding Voltage In Volts:
2600.0
Overall Length:
2.880 inches
Center To Center Distance Between Mounting Facilities Parallel To Length:
2.250 inches
Center To Center Distance Between Mounting Facilities Parallel To Width:
2.250 inches
Overall Height:
2.990 inches
Overall Width:
3.490 inches
Mounting Stud Length:
0.520 inches
Environmental Protection:
Dust resistant and humidity resistant and shock resistant
Furnished Items And Quantity:
Nut 6; washer 4
Indicator Type:
Dial w/pointer
Installation Design:
Panel
Mounting Arrangement Style:
Four hole/stud rectangular/square
Frequency Response Range:
+50.000/+60.000 hertz
Sensitivity Rating:
30.0 amperes
Dial Scale Marking Color:
Black single indicator single range
Accuracy In Percent:
-2.0/+2.0 at full scale single indicator single range
Unable To Decode:
Unable to decode or unable to decode
Meter Depth Behind Mounting Flange:
1.720 inches
Meter Body Diameter Behind Mounting Flange:
2.660 inches
Movement Type:

## NSN 6625-01-299-4400

Ammeter - Page 2 of 2



Background Color:
White single indicator single range
Pointer Color:
Black single indicator single range
Power Source:
External
Mounting Facility Type And Quantity:
4 threaded stud
Scale Graduation Type:
Nonlinear single indicator single range
Measurement Range:
+0.0/+30.0 amperes, dc single indicator single range
Mounting Stud Diameter:
0.112 inches
Scale Selection Method:
Terminal
Features Provided:
Electrical overload protection and knife edge pointer and transformer and zero adjuster
Movement Suspension Method:
Taut band
Circuit Attachment Method And Quantity:
2 threaded stud
Special Features:
Flam retardant
Material:
Plastic
Nuclear Hardness Critical Feature:
Nonhardened
Special Test Features:
Complies w/ansi 39.1
Style Designator:
Rectangular flush mtg
Supplementary Features:
0.5 volt amperes burden
Fsc Application Data:
Test set, elect. Equip.
Shelf Life:
N/a
Unit Of Measure:
<del></del>
Demilitarization:
No
Fiig:

A310a0