NSN 6625-01-302-0889

Ammeter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6625-01-302-0889

Circuit Courset For Which Decimends
Circuit Current For Which Designed:
Ac
Overall Length:
70.2 millimeters
Overall Height:
48.0 millimeters
Overall Width:
48.0 millimeters
Scale Division Quantity:
40 single indicator single range
Environmental Protection:
Cold resistant and heat resistant and shock resistant and vibration resistant
Furnished Items And Quantity:
Screw 2; seal 1
Indicator Type:
Dial w/pointer
Installation Design:
Panel
Frequency Response Range:
+15.000/+65.000 hertz
Sensitivity Rating:
1.0 amperes
Dial Scale Marking Color:
Black single indicator single range
Accuracy In Percent:
-1.5/+1.5 at full scale single indicator single range
Meter Depth Behind Mounting Flange:
65.2 millimeters
Meter Body Width Behind Mounting Flange:
Between 42.4 millimeters and 42.6 millimeters
Movement Type:
Moving iron vane
Background Color:
White single indicator single range
Pointer Color:
Black single indicator single range
Power Source:
External
Mounting Facility Type And Quantity:
2 clip
Scale Graduation Type:

Linear single indicator single range

NSN 6625-01-302-0889

Ammeter - Page 2 of 2

Fiig: A310a0



Measurement Range:
+0.0/+400.0 amperes, ac single indicator single range
Scale Selection Method:
Terminal
Meter Body Height Behind Mounting Flange:
Between 42.4 millimeters and 42.6 millimeters
Features Provided:
Transformer and zero adjuster
Movement Suspension Method:
Jewel pivot base
Circuit Attachment Method And Quantity:
2 binding post
Special Features:
Spring loaded clamp on both sides; 1.2 times the full scale value for connection to current transformers
Material:
Plastic
Nuclear Hardness Critical Feature:
Nonhardened
Surface Treatment:
Paint
Style Designator:
Rectangular flush mtg
Fsc Application Data:
Test set, elect. Equip.
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
Yes - demil/mli