

View Online at <https://aerobasegroup.com/nsn/6625-01-307-9890>

**Circuit Current For Which Designed:**

Ac

**Overall Length:**

7.650 inches

**Center To Center Distance Between Mounting Facilities Parallel To Length:**

3.380 inches

**Center To Center Distance Between Mounting Facilities Parallel To Width:**

3.380 inches

**Overall Height:**

4.330 inches

**Overall Width:**

4.330 inches

**Scale Division Quantity:**

60 single indicator single range

**Frequency Rating:**

60.0 hertz

**Mounting Stud Length:**

0.625 inches

**Indicator Type:**

Dial w/pointer

**Installation Design:**

Panel

**Mounting Arrangement Style:**

Four hole/stud rectangular/square

**Dial Scale Marking Color:**

Black single indicator single range

**Accuracy In Percent:**

-1.0 to 1.0 at full scale single indicator single range

**Meter Depth Behind Mounting Flange:**

5.220 inches

**Meter Body Diameter Behind Mounting Flange:**

3.970 inches

**Background Color:**

White single indicator single range

**Pointer Color:**

Black single indicator single range

**Power Source:**

External

**Mounting Facility Type And Quantity:**

4 threaded stud

**Scale Graduation Type:**

Linear single indicator single range

**Measurement Range:**

+0.0 to 300.0 amperes single indicator single range

**Mounting Stud Diameter:**

0.250 inches

**Movement Suspension Method:**

Taut band

**Circuit Attachment Method And Quantity:**

8 threaded stud

**Operating Voltage Rating In Volts:**

120.0 ac

**Phase:**

Three

**Special Features:**

Red lined at 200 kw; pt ratio 450-120; ct ratio 500-5

**Material:**

Steel

**Nuclear Hardness Critical Feature:**

Nonhardened

**Style Designator:**

Rectangular flush mtg

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A310a0