

View Online at <https://aerobasegroup.com/nsn/6625-01-310-9806>

**Circuit Current For Which Designed:**

Dc

**Overall Length:**

4.630 inches

**Overall Height:**

Between 0.470 inches and 0.530 inches

**Overall Width:**

Between 3.900 inches and 4.100 inches

**Mounting Hole Diameter:**

Between 0.177 inches and 0.187 inches

**Scale Division Quantity:**

28 single indicator single range

**Distance Between Mounting Facility Centers:**

Between 3.552 inches and 3.572 inches

**Furnished Items And Quantity:**

Nut 8

**Indicator Type:**

Dial w/pointer

**Installation Design:**

Panel

**Mounting Arrangement Style:**

Two hole/stud

**Sensitivity Rating:**

50.0 microamperes

**Dial Scale Marking Color:**

White single indicator single range

**Accuracy In Percent:**

-2.0/+2.0 at full scale single indicator single range

**Meter Depth Behind Mounting Flange:**

3.560 inches

**Meter Body Width Behind Mounting Flange:**

Between 2.910 inches and 2.970 inches

**Movement Type:**

Moving coil, permanent magnet

**Background Color:**

Black single indicator single range

**Pointer Color:**

Orange single indicator single range

**Scale Marking:**

7; 6; 5; 4; 3; 2; 1; 0; 1; 2; 3; 4; 5; 6; 7

**Mounting Facility Type And Quantity:**

2 unthreaded hole

**Scale Graduation Type:**

Linear single indicator single range

**Meter Body Height Behind Mounting Flange:**

Between 0.470 inches and 0.530 inches

**Features Provided:**

Self-illumination facility

**Movement Suspension Method:**

Jewel pivot base

**Circuit Attachment Method And Quantity:**

4 threaded stud

**Special Features:**

Velocity display application

**Nuclear Hardness Critical Feature:**

Nonhardened

**Style Designator:**

Rectangular flush mtg

**Supplementary Features:**

5 vdc lamp for illumination

**Specification Data:**

53711-5267501 manufacturers specification control

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fig:**

A310a0