

View Online at <https://aerobasegroup.com/nsn/6625-01-311-3596>

**Mounting Type:**

Rack

**Current Type:**

Ac

**Frequency Rating:**

Between 48.0 hertz and 440.0 hertz

**Frequency Range Rating:**

+0.000/+2.100 gigahertz

**Accessory Component Quantity:**

1 and 1 and 1 and 1 and 1

**End Application:**

An/alq-172, p/n 2487500g001, countermeasures set

**Accessory Identifying Number:**

H+8642b part no. And option-002 part no. And option-909 part no. And 1494-0059 part no. And 1494-0061 part no.

**Output Impedance Rating:**

50.0 ohms

**Voltage Rating:**

Between 100.0 volts and 240.0 volts

**Modulation Type:**

Am and fm and pulse

**Accessory Component Name:**

Signal generator; rear panel i/o; front handle and rack flange kit; slide kit; end brackets

**Calibrated Signal Output Range:**

Minus 140 dbm to plus 20

**Functional Description:**

Generates signals from 100 khz-2.1 ghz at amplitudes from plus 20 to minus 14 dbm; allows am, fm, pulse and phase modulation of output signal; accuracy porm 1 db; am depth 0-99.9 pct; am bandwidth 100 khz max; fm deviation 3 mhz max; fm bandwidth 20 hz-200 khz; ieee-488 interface; 0-55 deg. C. Operating temp

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

T320-j