

View Online at <https://aerobasegroup.com/nsn/6625-01-315-1327>

Overall Height:

3.500 inches

Overall Width:

8.360 inches

Overall Diameter:

16.600 inches

Operating Temperature Range:

+0.0/+55.0 degrees celsius

Storage Temperature Range:

-40.0/+70.0 degrees celsius

End Application:

Lantirn

Basic Shape Style:

Rectangular or square

Inclosure Type:

Encased

Operating Control Method:

Automatic or manual

Control Type:

Local or remote

Circuit Construction Type:

Solid state

Frequency Per Channel:

1 milihertz to 50mhz

Frequency Adjustment Type:

Continuous

Signal Voltage Rating Per Channel:

10.000 volts output and 16.000 volts output

Impedance Rating Per Channel:

50.000 ohms operating channel

Pulse Duration Per Channel:

10.000 nanoseconds operating channel and 999.000 microseconds operating channel

Signal Data Type Per Channel:

Operating channel pulse

Output Wave Shape:

Pulse, variable width and sine and square

Indicator Device Type And Quantity:

1 light and 44 meter

Connection Type And Location:

Connector, plug rear and receptacle, coaxial front

Operating Ac Frequency In Hertz:

48.0 single voltage and 440.0 single voltage

Calibration Function:

Frequency and pulse duration and pulse repetition

External Ac Operating Voltage In Volts:

100.0 single voltage and 240.0 single voltage

Features Provided:

Internal battery accommodation

Phase:

Single

Supplementary Features:

Used on rf test stand

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A32200