

View Online at <https://aerobasegroup.com/nsn/6625-01-318-0368>

Overall Depth:

17.300 inches

Overall Height:

5.400 inches

Overall Width:

15.000 inches

Current Type:

Dc

Frequency Rating:

Between 48.0 hertz and 440.0 hertz

Usage Design:

Perform measurements associated with dual time base scopes

Voltage Rating:

Between 95.0 volts and 250.0 volts

Beam Quantity:

2

Sweep Circuits:

Included

Generator Driven Feature:

Not included

Sweep Circuit Type:

Horizontal and vertical

Sweep Frequency Range:

+5.0/+50.0 megahertz

Single Trigger Sweep Duration:

7.0 nanoseconds

Amplifier Deflection Sensitivity Provision:

Not provided

Input Intensity Modulation Feature:

Not provided

Plate Direct Connection Deflection Sensitivity Provision:

Not provided

Frequency Response Rating:

Not provided

X-axis Frequency Response Rating:

2.0 megahertz

Y-axis Frequency Response Rating:

Between 40.0 megahertz and 50.0 megahertz

Z-axis Frequency Response Rating:

5.0 megahertz

Amplifier Input Impedance Rating Provision:

Not provided

Calibrated Screen Scale:

Not included

Trace Storage Tube:

Not included

Viewing Screen Voltage Rating:

12.6 kilovolts

Trace Erasing Provision:

Not provided

Camera Recording Device Accommodation:

Not provided

Supplementary Features:

Hf/lf reject trigger filters; x5, x10, x50 magnification; peak to peak auto triggering; two channel, single time base

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

T320-g