

View Online at https://aerobasegroup.com/nsn/6625-01-318-7659

Overall Length:

18.000 inches

Wattage Rating In Watts:

0.001

Overall Height:

5.666 inches

Overall Width:

12.800 inches

Current Type:

Ac/dc

Frequency Rating:

Between 47.5 hertz and 440.0 hertz

Accessory Component Quantity:

3

Accessory Controlling Agency:

Hewlett packard

Internal Battery Accommodation:

Included

Voltage Rating:

100.0 volts and 115.0 volts and 120.0 volts and 220.0 volts and 230.0 volts and 240.0 volts and 14.0 volts and 26.0 volts

Unpackaged Unit Weight:

23.000 pounds

Mounting Method:

Bench

Accessory Component Name:

Power cord, power sensor cable, p/n hp11730; and operating/programming manual

Measurement Type:

Frequency and time

Frequency Range:

+10.000/+26.500 gigahertz

Accuracy Rating:

Porm Isd porm timebase error times frequency

Sensitivity Rating:

25.0 mv rms

Internal Calibration Feature:

Included

Display Type:

Light emitting diode

Display Digit Quantity:

10

Display Units Indicator:

Not included



Display Positioned Decimal Point:

Not provided

Display Storage Facility:

Included

Remote Control Provisions:

Not included

Solid State Feature:

Included

Plug-in Units Provision:

Included

Standard Frequency Output Feature:

Not included

Phase:

Single

Special Features:

Opt 002: battery pack; opt 011: hp-ib interface; opt 060: padded case; opt 915: service manual; power measurements from m70.0dbm to p20.0dbm over 10 mhz to 26.5 ghz frequency range depending on power sensor option used; mfg name: 26ghz counter/power meter

Functional Description:

Measures frequency and functions as power meter with power sensors

Shelf Life:

N/a

--

Unit Of Measure:

Demilitarization:

Yes - demil/mli

Fiig:

T297-a