

View Online at <https://aerobasegroup.com/nsn/6625-01-318-9787>

Circuit Current For Which Designed:

Dc

Overall Length:

3.650 inches

Overall Height:

0.540 inches

Overall Width:

3.750 inches

Mounting Hole Diameter:

0.140 inches

Environmental Protection:

Cold resistant and heat resistant and humidity resistant and shock resistant and vibration resistant

Distance Between Mounting Facility Centers:

4.125 inches

Indicator Type:

Bargraph

Installation Design:

Panel

Mounting Arrangement Style:

Two hole/stud

Frequency Response Range:

+0.040/+1.000 kilohertz

Sensitivity Rating:

1.0 volts

Background Color:

Black single indicator single range

Scale Marking:

0, 20, 40, 60, 80, 100

Mounting Facility Type And Quantity:

1 bracket and 2 unthreaded hole

Display Type:

Light emitting diode

Features Provided:

Zero adjuster

Accuracy Rating:

Porm 0.7 pct of full scale reading single indicator single range

Display Color:

Red single indicator single range

Circuit Attachment Method And Quantity:

1 printed circuit

Operating Voltage Rating In Volts:

5.0 dc

Special Features:

88000 hours mean time between failures

Nuclear Hardness Critical Feature:

Nonhardened

Style Designator:

Rectangular surface mtg

Supplementary Features:

Brightness control

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A310a0