

View Online at <https://aerobasegroup.com/nsn/6625-01-329-4423>

**Circuit Current For Which Designed:**

Dc

**Overall Length:**

4.125 inches

**Center To Center Distance Between Mounting Facilities Parallel To Length:**

1.875 inches

**Center To Center Distance Between Mounting Facilities Parallel To Width:**

1.879 inches

**Overall Height:**

2.375 inches

**Overall Width:**

2.375 inches

**Mounting Hole Diameter:**

0.138 inches

**Scale Division Quantity:**

50 single indicator single range

**Indicator Type:**

Dial w/pointer

**Installation Design:**

Panel

**Mounting Arrangement Style:**

Four hole/stud rectangular/square

**Dial Scale Marking Color:**

White single indicator single range

**Accuracy In Percent:**

-2.0/+2.0 at full scale single indicator single range

**Meter Depth Behind Mounting Flange:**

3.500 inches

**Meter Body Diameter Behind Mounting Flange:**

2.062 inches

**Background Color:**

Black single indicator single range

**Pointer Color:**

White single indicator single range

**Scale Marking:**

Percent battery energy; 0 to 100

**Mounting Facility Type And Quantity:**

4 unthreaded hole

**Scale Graduation Type:**

Linear single indicator single range

**Circuit Attachment Method And Quantity:**

2 threaded stud and 2 wire lead

**Operating Voltage Rating In Volts:**

24.0 dc

**Special Features:**

100 pct indication equals 2.08 v/cell

**Nuclear Hardness Critical Feature:**

Nonhardened

**Style Designator:**

Rectangular flush mtg

**Fsc Application Data:**

Test set, elect. Equip.

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A310a0