

View Online at <https://aerobasegroup.com/nsn/6625-01-331-3956>

Reliability Indicator:

Not established

Overall Length:

1.620 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

Between 0.703 inches and 0.713 inches

Center To Center Distance Between Mounting Facilities Parallel To Width:

Between 0.703 inches and 0.713 inches

Overall Height:

0.890 inches

Overall Width:

0.890 inches

Mounting Hole Diameter:

Between 0.093 inches and 0.103 inches

Scale Division Quantity:

4 single indicator single range

Indicator Type:

Dial w/pointer

Installation Design:

Panel

Mounting Arrangement Style:

Four hole/stud rectangular/square

Dial Scale Marking Color:

Black single indicator single range

Meter Depth Behind Mounting Flange:

1.255 inches

Meter Body Diameter Behind Mounting Flange:

Between 0.830 inches and 0.850 inches

Background Color:

White single indicator single range

Pointer Color:

Black single indicator single range

Power Source:

External

Mounting Facility Type And Quantity:

4 unthreaded hole

Scale Graduation Type:

Linear single indicator single range

Scale Selection Method:

Terminal

Circuit Attachment Method And Quantity:

2 solder lug

Special Markings:

Red dot at pos term.

Nuclear Hardness Critical Feature:

Nonhardened

Surface Treatment:

Paint

Style Designator:

Rectangular flush mtg

Fsc Application Data:

Test set, elect. Equip.

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fig:

A310a0