

View Online at <https://aerobasegroup.com/nsn/6625-01-334-8674>

Circuit Current For Which Designed:

Dc

Overall Length:

3.300 inches

Overall Height:

1.620 inches

Overall Width:

2.900 inches

Mounting Hole Diameter:

0.112 inches

Environmental Protection:

Cold resistant and corrosion resistant and heat resistant and shock resistant and submersible and water resistant

Distance Between Mounting Facility Centers:

2.000 inches

End Application:

5998-01-326-8730 electronic components assembly

Furnished Items And Quantity:

Screw 2

Indicator Type:

Digital display

Installation Design:

Panel

Mounting Arrangement Style:

Two hole/stud

Meter Depth Behind Mounting Flange:

2.710 inches

Meter Body Width Behind Mounting Flange:

2.760 inches

Background Color:

Gray single indicator single range

Power Source:

External

Mounting Facility Type And Quantity:

2 threaded hole

Display Type:

Light emitting diode

Display Digit Quantity:

4-1/2

Measurement Range:

-199.99/+199.99 volts single indicator single range

Meter Body Height Behind Mounting Flange:

1.230 inches

Features Provided:

Overranging

Accuracy Rating:

Porm 0.05 pct of reading porm 0.01 pct full scale single indicator single range

Display Color:

Red single indicator single range

Circuit Attachment Method And Quantity:

1 printed circuit

Operating Voltage Rating In Volts:

Between 4.8 dc and 6.0 dc

Special Features:

Auto zero circuit

Nuclear Hardness Critical Feature:

Nonhardened

Style Designator:

Rectangular flush mtg

Supplementary Features:

Ruggedized

Fsc Application Data:

Electrical, electronic properties measuring and test instruments

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fig:

A310a0