NSN 6625-01-340-9319

Voltmeter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6625-01-340-9319

Circuit Current For Which Designed:
Dc
Dielectric Withstanding Voltage In Volts:
850.0
Overall Length:
3.730 inches
Overall Height:
1.150 inches
Overall Width:
2.740 inches
Indicator Type:
Digital display
Installation Design:
Panel
Meter Depth Behind Mounting Flange:
3.330 inches
Meter Body Width Behind Mounting Flange:
2.540 inches
Background Color:
Black single indicator single range
Power Source:
Power Source: External
External
External Display Type:
External Display Type: Light emitting diode
External Display Type: Light emitting diode Display Digit Quantity:
External Display Type: Light emitting diode Display Digit Quantity: 4-1/2
External Display Type: Light emitting diode Display Digit Quantity: 4-1/2 Measurement Range:
External Display Type: Light emitting diode Display Digit Quantity: 4-1/2 Measurement Range: -19.999/+19.999 volts, dc single indicator single range
External Display Type: Light emitting diode Display Digit Quantity: 4-1/2 Measurement Range: -19.999/+19.999 volts, dc single indicator single range Meter Body Height Behind Mounting Flange:
External Display Type: Light emitting diode Display Digit Quantity: 4-1/2 Measurement Range: -19.999/+19.999 volts, dc single indicator single range Meter Body Height Behind Mounting Flange: 0.960 inches
External Display Type: Light emitting diode Display Digit Quantity: 4-1/2 Measurement Range: -19.999/+19.999 volts, dc single indicator single range Meter Body Height Behind Mounting Flange: 0.960 inches Accuracy Rating:
External Display Type: Light emitting diode Display Digit Quantity: 4-1/2 Measurement Range: -19.999/+19.999 volts, dc single indicator single range Meter Body Height Behind Mounting Flange: 0.960 inches Accuracy Rating: Porm 0.01 pct of reading p 1 digit single indicator single range
External Display Type: Light emitting diode Display Digit Quantity: 4-1/2 Measurement Range: -19.999/+19.999 volts, dc single indicator single range Meter Body Height Behind Mounting Flange: 0.960 inches Accuracy Rating: Porm 0.01 pct of reading p 1 digit single indicator single range Display Color:
External Display Type: Light emitting diode Display Digit Quantity: 4-1/2 Measurement Range: -19.999/+19.999 volts, dc single indicator single range Meter Body Height Behind Mounting Flange: 0.960 inches Accuracy Rating: Porm 0.01 pct of reading p 1 digit single indicator single range Display Color: Red single indicator single range
External Display Type: Light emitting diode Display Digit Quantity: 4-1/2 Measurement Range: -19.999/+19.999 volts, dc single indicator single range Meter Body Height Behind Mounting Flange: 0.960 inches Accuracy Rating: Porm 0.01 pct of reading p 1 digit single indicator single range Display Color: Red single indicator single range Circuit Attachment Method And Quantity:
External Display Type: Light emitting diode Display Digit Quantity: 4-1/2 Measurement Range: -19.999/+19.999 volts, dc single indicator single range Meter Body Height Behind Mounting Flange: 0.960 inches Accuracy Rating: Porm 0.01 pct of reading p 1 digit single indicator single range Display Color: Red single indicator single range Circuit Attachment Method And Quantity: 1 printed circuit
External Display Type: Light emitting diode Display Digit Quantity: 4-1/2 Measurement Range: -19.999/+19.999 volts, dc single indicator single range Meter Body Height Behind Mounting Flange: 0.960 inches Accuracy Rating: Porm 0.01 pct of reading p 1 digit single indicator single range Display Color: Red single indicator single range Circuit Attachment Method And Quantity: 1 printed circuit Operating Voltage Rating In Volts:

Style Designator:

Rectangular flush mtg

NSN 6625-01-340-9319

Voltmeter - Page 2 of 2



Specification Data	Spe	ecifica	ition	Data:
--------------------	-----	---------	-------	-------

94697-e14081 manufacturers source control

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A310a0