

View Online at <https://aerobasegroup.com/nsn/6625-01-345-6436>

Circuit Current For Which Designed:

Ac

Dielectric Withstanding Voltage In Volts:

2000.0

Overall Length:

5.810 inches

Overall Height:

1.890 inches

Overall Width:

3.780 inches

Environmental Protection:

Airtight and dust resistant and fungus resistant and heat resistant and humidity resistant and shock resistant and vibration resistant and water resistant

Furnished Items And Quantity:

Seal 1

Indicator Type:

Digital display

Installation Design:

Panel

Frequency Response Range:

+50.000/+60.000 hertz

Sensitivity Rating:

120.0 volts

Meter Depth Behind Mounting Flange:

5.500 inches

Meter Body Width Behind Mounting Flange:

3.620 inches

Background Color:

Black single indicator single range

Power Source:

External

Mounting Facility Type And Quantity:

2 snap slide

Display Type:

Light emitting diode

Display Digit Quantity:

4

Measurement Range:

-99.99/+99.99 milliamperes, dc single indicator single range

Meter Body Height Behind Mounting Flange:

1.770 inches

Features Provided:

Overranging

Accuracy Rating:

Form 1 pct of reading plus 2 digits single indicator single range

Display Color:

Red single indicator single range

Circuit Attachment Method And Quantity:

2 screw

Special Features:

Ruggedized

Special Markings:

On front, adj; high; set pt read/rst

Material:

Plastic

Nuclear Hardness Critical Feature:

Nonhardened

Surface Treatment:

Paint

Style Designator:

Rectangular flush mtg

Fsc Application Data:

Test set, elect. Equip.

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fig:

A310a0