

View Online at <https://aerobasegroup.com/nsn/6625-01-346-7802>

Circuit Current For Which Designed:

Ac

Dielectric Withstanding Voltage In Volts:

1200.0

Overall Length:

4.460 inches

Overall Height:

1.980 inches

Overall Width:

4.220 inches

Environmental Protection:

Airtight and dust resistant and fungus resistant and heat resistant and humidity resistant and shock resistant and vibration resistant and water resistant

Furnished Items And Quantity:

Nut 2; lockwasher 2; seal 1

Indicator Type:

Digital display

Installation Design:

Panel

Sensitivity Rating:

24.0 volts

Unable To Decode:

Unable to decode or unable to decode

Meter Depth Behind Mounting Flange:

4.160 inches

Meter Body Width Behind Mounting Flange:

3.690 inches

Background Color:

Gray single indicator single range

Power Source:

External

Mounting Facility Type And Quantity:

2 bracket

Display Type:

Light emitting diode

Display Digit Quantity:

4-1/2

Measurement Range:

-120.0/+120.0 volts, ac single indicator single range

Scale Selection Method:

Terminal

Meter Body Height Behind Mounting Flange:

1.660 inches

Features Provided:

Magnetic shield

Accuracy Rating:

Porm 2 pct of reading plus 2 digits single indicator single range

Display Color:

Red single indicator single range

Circuit Attachment Method And Quantity:

15 screw

Special Features:

Ruggedized

Material:

Plastic

Nuclear Hardness Critical Feature:

Nonhardened

Surface Treatment:

Paint

Style Designator:

Rectangular flush mtg

Fsc Application Data:

Test set, elect. Equip.

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fig:

A310a0