Voltage Deviation Monitor - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/6625-01-363-6654

Overall Length:
5.000 inches
Overall Height:
3.500 inches
Overall Width:
3.250 inches
Vibration Resistance Amplitude:
1.5 gravitational units and 6.0 gravitational units and 1.5 gravitational units
Shock Resistance Rating In Gravitational Units:
30.0
Operating Tempurature Range:
+10.0/+50.0 degrees celsius
Storage Tempurature Range:
-40.0/+75.0 degrees celsius
Average Life Measurement:
Not rated
Basic Shape Style:
Rectangular or square
Inclosure Type:
Encased
Installation Design:
Panel
Circuit Construction Type:
Solid state
Operating Ac Frequency In Hertz:
380.5 single voltage and 419.5 single voltage
External Ac Operating Voltage In Volts:
108.0 single voltage and 118.0 single voltage
Phase:
Three
Special Features:
Control lines are used to test and verify the monitors operation; indicates multiple out of tolerance conditions simultaneously; vibration, 1.5 g

at 5hz, 6.0 g at 14hz, 1.5 g at 30hz

Functional Description:

Three phase power monitor module for the detection of abnormal input power conditions of frequency, voltage, and phase sequence for lantirn se

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

Yes - demil/mli