

View Online at <https://aerobasegroup.com/nsn/6625-01-367-5548>

Terminal Quantity:

3

Terminal Type:

Binding post

Overall Depth:

12.000 inches

Overall Height:

3.500 inches

Overall Width:

4.250 inches

Ac Voltage Rating:

115.0 volts and 230.0 volts

Frequency Rating:

Between 50.0 hertz and 400.0 hertz

End Application:

Nha 88003090; e/i 4920012952727 test stand hydraulic

Portability:

Portable

Unit Type:

Encased

Output Voltage Rating:

Between 0.0 volts and 10.0 volts

Unpackaged Unit Weight:

5.000 pounds

Electromotive Force Production Method:

Electronic

Output Accuracy Rating In Percent:

-0.000003/+0.000003

Warm-up Time For Maximum Accuracy In Minutes:

30.0

Phase:

Single

Special Features:

Included instruction manual, power cord; batteries, serialized and dated calibration certificate

Relationship To Similar Equipment:

Similar to fluke 731a, modified with special rack

Supplementary Features:

Output voltage ranges 10, 1, 1.018, and delta e (0 through 999 microvolts); internal rechargeable batteries

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

T263-k