NSN 6625-01-379-0665

Voltmeter - Page 1 of 2



| View Online at https://aerobasegroup.com/nsn/6625-01-379-0665 |
|---|
| Overall Length: |
| 2.350 inches |
| Overall Width: |
| 2.690 inches |
| Mounting Hole Diameter: |
| 0.140 inches |
| Scale Division Quantity: |
| 50 single indicator single range |
| Frequency Rating: |
| 60.0 hertz |
| Indicator Type: |
| Dial w/pointer |
| Installation Design: |
| Panel |
| Mounting Arrangement Style: |
| Three hole/stud bolt circle |
| Dial Scale Marking Color: |
| Black single indicator single range |
| Accuracy In Percent: |
| -3.0/+3.0 at full scale single indicator single range |
| Meter Depth Behind Mounting Flange: |
| 1.180 inches |
| Meter Body Diameter Behind Mounting Flange: |
| 2.150 inches |
| Movement Type: |
| Moving iron vane |
| Background Color: |
| White single indicator single range |
| Pointer Color: |
| Black single indicator single range |
| Power Source: |
| External |
| Mounting Facility Type And Quantity: |
| 3 screw and 3 unthreaded hole |
| Scale Graduation Type: |
| Linear single indicator single range |
| Measurement Range: |
| +0.0/+250.0 volts, dc single indicator single range |

Features Provided:

Zero adjuster

Movement Suspension Method:

Taut band

NSN 6625-01-379-0665

Voltmeter - Page 2 of 2



Circuit Attachment Method And Quantity: 2 threaded stud Material: Steel **Nuclear Hardness Critical Feature:** Nonhardened Style Designator: Rectangular flush mtg **Fsc Application Data:** Test set, elect. Equip. Shelf Life: N/a **Unit Of Measure: Demilitarization:** No Fiig:

A310a0