

View Online at <https://aerobasegroup.com/nsn/6625-01-393-2428>

Current Type:

Ac

Frequency Rating:

Between 48.0 hertz and 440.0 hertz

Accessory Components And Quantity:

2 ea p6205 fet probes

Voltage Rating:

Between 115.0 volts and 230.0 volts

Beam Quantity:

2

Mounting Method:

Rack

Sweep Circuits:

Included

Generator Driven Feature:

Included

Sweep Circuit Type:

Horizontal and vertical

Sweep Frequency Range:

+0.0/+30.0 megahertz

Trigger Sweep Voltage Amplitude Rating:

250.0 volts

Trigger Sweep Polarity Switch:

Included

Expanded Sweep:

Provided

Amplifier Deflection Sensitivity Provision:

Provided

Frequency Response Rating:

Provided

Amplifier Input Impedance Rating Provision:

Provided

Y-axis Input Impedance Rating:

Between 0.0 ohms and 50.0 ohms

Amplitude Calibrating Voltage Waveform:

Square wave

Calibrated Screen Scale:

Included

Trace Storage Tube:

Included

Camera Recording Device Accommodation:

Not provided

Phase:

Single

Special Features:

2 aux channngels, 2 sample rates to 2 gs/s; time interval, 2 ns glitch, runt, pattern & state triggering; hdtvvideo triggering; 1mv/div to 10v/div sensitive; infinite & variable persistence displays; vertical accuracy to 1 pct; waveform pass/fail test; full gpibprogramming; advanced signal processing functions

Functional Description:

25 automatic measurements

Reference Data And Literature:

Similar to 6625-01-317-0023 and 01-364-6843

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

T320-g