

View Online at <https://aerobasegroup.com/nsn/6625-01-398-2781>

**Overall Length:**

16.750 inches

**Wattage Rating In Watts:**

60.0

**Overall Height:**

3.500 inches

**Overall Width:**

14.000 inches

**Current Type:**

Ac

**Frequency Rating:**

Between 50.0 hertz and 60.0 hertz

**Accessory Component Quantity:**

2

**End Application:**

An/apm-233

**Electrical Connection Type:**

Bnc

**Voltage Rating:**

Between 100.0 volts and 240.0 volts

**Electrical Connection Quantity:**

2

**Unpackaged Unit Weight:**

26.000 pounds

**Mounting Method:**

Rack

**Measurement Type:**

Frequency

**Frequency Range:**

+0.001/+20.000 gigahertz

**Accuracy Rating:**

Porm 1 count plus timebase error

**Gate Time:**

Between 1.0 seconds and 1.0 microseconds

**Sensitivity Rating:**

25 mv rms

**Display Type:**

Light emitting diode

**Display Digit Quantity:**

12

**Display Units Indicator:**

Included

**Display Positioned Decimal Point:**

Provided

**Display Storage Facility:**

Included

**Solid State Feature:**

Not included

**Phase:**

Single

**Special Features:**

Kopt 2 measures power of signals & allows power offsets from m99.9 db to 99.9 db; opt 4 high stability time bases; opt 8 gpib ieee 488-1978 (standard in model 575b); opt wb83 includes slide, bracket support, rack mount, spacer & hardware; front panel selected service diagnostics/user info; sample rate from 100 msec to 10 sec hold position; reset, offset, and multiply functions; operating temp 0 to 50 degrees c; resolution .1 khz to 1 ghz; power cord & oper manual included

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

T297-a