

View Online at <https://aerobasegroup.com/nsn/6625-01-399-5938>

**Width:**

17.000 inches

**Length:**

18.000 inches

**Ac Voltage Rating:**

Between 100.0 volts and 240.0 volts

**Frequency Rating:**

Between 47.0 hertz and 440.0 hertz

**Inclosure Feature:**

Single item w/housing

**Measurement Unit:**

Peak power

**Input Frequency Range:**

+0.050/+26.500 gigahertz

**Radio Frequency Input Power Rating:**

200.0 watts

**Phase:**

Single

**Special Features:**

Power range measurements: pulse m20 to p20; cw m40 to p40; power range: m20 to p15 dbm; single or dual channels, rack mount opt; tilt bail handle; oper temp 0 to 50 c; storage temp m40 to p55 c; fuses provided on exterior rear panel for replacement without entering enclosure; accuracy porm 4.6 pct at 1 mw; digital display and analog representation of pulse being measured on front panel; peak or cw mode selection; sensors power range m20 to p15 dbm in continuous wave or peak modes; rf connection type n to 18 ghz; type k over 18 ghz; internal calibration source 1.0 ghz to 50 mhz, oscillator w/ type n connector & front panel controlled

**Functional Description:**

Instrument measures power in repetitive pulse mode and in continuous wave modes

**Height:**

8.000 inches

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

T228-f