

View Online at <https://aerobasegroup.com/nsn/6625-01-414-3370>

**Width:**

15.000 inches

**Length:**

17.000 inches

**Ac Voltage Rating:**

115.0 volts and 230.0 volts

**Frequency Rating:**

Between 47.0 hertz and 63.0 hertz

**Major Components:**

Basic unit incorporates all interface and support circuitry required by plug-in pc boards; unit is portable with a detachable compartmented cover

**Electrical Power Source Relationship:**

Operating

**Inclosure Feature:**

Single item w/housing

**Test Type For Which Designed:**

Tests voice freq transmissions inieee 743/bell pub 41009 environments

**Phase:**

Single

**Special Features:**

Measures frequency 40 hz to 4100 hz; level p 10 to m 70 dbm; noise 10 to 100 dbrn; signal to noise p 10 to m 40 dbm; built-in multifunction generator to 4004 hz; sweep rates 1 of 3 selectable from 125 to 9 hz/sec; test results on 40-character display

**Functional Description:**

Performs a full complement of vf measurements to 120 khz (opt-21) including noise, level, frequency, 3-level impulse noise, 2w & 3w return loss, dtmf/mf/dp signaling

**Height:**

5.250 inches

**Supplementary Features:**

Model 3701 features front panel controls; remote control is optional as .25a

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

T228-a