

View Online at <https://aerobasegroup.com/nsn/6625-01-432-1004>

Overall Depth:

14.500 inches

Overall Length:

17.300 inches

Overall Height:

8.100 inches

Ac Voltage Rating:

115.0 volts and 230.0 volts

Dc Voltage Rating:

320.0 volts

Frequency Rating:

Between 48.0 hertz and 66.0 hertz

End Application:

Electronic test equipment

Electrical Power Source Relationship:

Alternate operating

Internal Battery Accommodation:

Not included

Indicator Type:

Cathode ray tube

Unpackaged Unit Weight:

28.600 pounds

Phase:

Single

Special Features:

34 state & timing channels; 250 mhz timing analysis (all channels), 500mhz (half channels); 100 mhz state analysis speed, 2 state clocks; memory depth 4k/channel, 8k/half channel; 2 channel oscscope sample rate 1gsa/s per channel; bandwidth dc to 250 mhz (dc coupled); 1.4 ns rise time; vert resolution 8 bits; memory depth/channel: 8k samples; lan interface available opt 15; centronics, rs-232, hp-ib communications ports standard; din mouse & keyboard connectors included; hardcopy output bw; graphic trigger macros

Functional Description:

Verifies critical hardware timingrelationships; makes analog parametric measurements; displays processor mnemonics; isolates problems at integration state of prototype hardware/software

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

T263-c