

View Online at <https://aerobasegroup.com/nsn/6625-01-464-0572>

**Overall Length:**

348.3 millimeters

**Overall Height:**

88.5 millimeters

**Overall Width:**

212.6 millimeters

**Operating Temperature Range:**

+0.0/+55.0 degrees celsius

**Average Life Measurement:**

Not rated

**Basic Shape Style:**

Rectangular or square

**Inclosure Type:**

Encased

**Operating Control Method:**

Automatic or manual

**Installation Design:**

Rack

**Circuit Construction Type:**

Solid state

**Frequency Per Channel:**

15.0 megahertz output channel

**Impedance Rating Per Channel:**

50.000 ohms output channel

**Signal Data Type Per Channel:**

Operating channel sweep err-100

**Output Wave Shape:**

Isosceles triangular and sawtooth and sine and square

**Connection Type And Location:**

Receptacle, coaxial front and receptacle, coaxial rear and connector, plug rear

**Operating Ac Frequency In Hertz:**

45.0 single voltage and 440.0 single voltage

**Connection Contact Type And Quantity:**

4 receptacle, coaxial external and 3 connector, plug external

**External Ac Operating Voltage In Volts:**

110.0 single voltage and 240.0 single voltage

**Phase:**

Single

**Special Features:**

Sine, triangle, square, ramp, noise, si (x) /x, exponential rise & fall, heartbeat, dc volts; 12-bit 40 msa/s 16k deep arbitrary waveforms; linear & log sweeps built-in; am, fm, fsk & burst modulation built-in; hp-ib & rs-232 interfaces; 15mhz sine & square wave outputs; 3 user configurable stored states; option 1cm is rack mount kit, option 001 is phase lock/tcxo timebase

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A32200