

View Online at <https://aerobasegroup.com/nsn/6625-01-464-0572>

Overall Length:

348.3 millimeters

Overall Height:

88.5 millimeters

Overall Width:

212.6 millimeters

Operating Temperature Range:

+0.0/+55.0 degrees celsius

Average Life Measurement:

Not rated

Basic Shape Style:

Rectangular or square

Inclosure Type:

Encased

Operating Control Method:

Automatic or manual

Installation Design:

Rack

Circuit Construction Type:

Solid state

Frequency Per Channel:

15.0 megahertz output channel

Impedance Rating Per Channel:

50.000 ohms output channel

Signal Data Type Per Channel:

Operating channel sweep err-100

Output Wave Shape:

Isosceles triangular and sawtooth and sine and square

Connection Type And Location:

Receptacle, coaxial front and receptacle, coaxial rear and connector, plug rear

Operating Ac Frequency In Hertz:

45.0 single voltage and 440.0 single voltage

Connection Contact Type And Quantity:

4 receptacle, coaxial external and 3 connector, plug external

External Ac Operating Voltage In Volts:

110.0 single voltage and 240.0 single voltage

Phase:

Single

Special Features:

Sine, triangle, square, ramp, noise, si (x) /x, exponential rise & fall, heartbeat, dc volts; 12-bit 40 msa/s 16k deep arbitrary waveforms; linear & log sweeps built-in; am, fm, fsk & burst modulation built-in; hp-ib & rs-232 interfaces; 15mhz sine & square wave outputs; 3 user configurable stored states; option 1cm is rack mount kit, option 001 is phase lock/tcxo timebase

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A32200