

View Online at <https://aerobasegroup.com/nsn/6625-01-465-3021>

**Circuit Current For Which Designed:**

Ac and dc

**Overall Depth:**

14.563 inches

**Overall Height:**

4.125 inches

**Overall Width:**

9.375 inches

**Frequency Rating:**

Between 45.0 hertz and 440.0 hertz

**Furnished Items And Quantity:**

Low thermal in-put cable, with spade lugs 4 ft long; users manual; service manual; contact cleaner; line cord; alligator clips

**Indicator Type:**

Digital display

**Installation Design:**

Bench

**Power Source:**

External

**Display Type:**

Light emitting diode

**Display Digit Quantity:**

7-1/2

**Measurement Range:**

+0.0/+100.0 volts 1st indicator 5th range

**Circuit Attachment Method And Quantity:**

1 screw

**Operating Voltage Rating In Volts:**

Between 100.0 ac and 240.0 ac

**Special Features:**

Mfg name nanovoltmeter. For applications such as thermocouple testing or low-resistance measurements including bus bar testing; low-resistance shunt measurements and superconductor measurements. Dual channel; built-in thermocouple; 3 ways to measure nanovolts

**Style Designator:**

Portable w/tilt view handle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A310a0