

View Online at <https://aerobasegroup.com/nsn/6625-01-470-6104>

**Overall Length:**

425.0 millimeters

**Overall Height:**

89.0 millimeters

**Overall Width:**

292.0 millimeters

**Operating Temperature Range:**

+32.0 to 130.0 degrees fahrenheit

**Average Life Measurement:**

Not rated

**Basic Shape Style:**

Rectangular or square

**Inclosure Type:**

Encased

**Installation Design:**

Top of cabinet/counter

**Circuit Construction Type:**

Solid state

**Indicator Device Type And Quantity:**

Lcd

**Connection Type And Location:**

Terminal block w/screw rear

**Operating Ac Frequency In Hertz:**

48.0 single voltage and 440.0 single voltage

**Connection Contact Type And Quantity:**

1 wire lead terminals external

**External Ac Operating Voltage In Volts:**

250.0 2nd voltage

**Phase:**

Single

**Special Features:**

Opt 909 rack flange kit w/handle (hp p/n 5061-1169). Interface is hp-ib; designed to hold up to 5 different switch and control modules; select from multiplexer, relay from c relay, matrix switch, microwave switch module, digital i/o module, breadboard, vhf switch, 26.5 ghz signal switching (depending on modules selected); up to 50 channels, 40 configuration storage registers

**Functional Description:**

Provides signal switching w/integrity and isolation needed for high performance production test systems

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fig:**

A32200