

View Online at <https://aerobasegroup.com/nsn/6625-01-470-6104>

Overall Length:

425.0 millimeters

Overall Height:

89.0 millimeters

Overall Width:

292.0 millimeters

Operating Temperature Range:

+32.0 to 130.0 degrees fahrenheit

Average Life Measurement:

Not rated

Basic Shape Style:

Rectangular or square

Inclosure Type:

Encased

Installation Design:

Top of cabinet/counter

Circuit Construction Type:

Solid state

Indicator Device Type And Quantity:

Lcd

Connection Type And Location:

Terminal block w/screw rear

Operating Ac Frequency In Hertz:

48.0 single voltage and 440.0 single voltage

Connection Contact Type And Quantity:

1 wire lead terminals external

External Ac Operating Voltage In Volts:

250.0 2nd voltage

Phase:

Single

Special Features:

Opt 909 rack flange kit w/handle (hp p/n 5061-1169). Interface is hp-ib; designed to hold up to 5 different switch and control modules; select from multiplexer, relay from c relay, matrix switch, microwave switch module, digital i/o module, breadboard, vhf switch, 26.5 ghz signal switching (depending on modules selected); up to 50 channels, 40 configuration storage registers

Functional Description:

Provides signal switching w/integrity and isolation needed for high performance production test systems

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A32200