

View Online at <https://aerobasegroup.com/nsn/6625-01-487-5590>

**Circuit Current For Which Designed:**

Dc

**Dielectric Withstanding Voltage In Volts:**

3000.0

**Overall Length:**

67.31 millimeters

**Center To Center Distance Between Mounting Facilities Parallel To Length:**

61.98 millimeters

**Center To Center Distance Between Mounting Facilities Parallel To Width:**

61.98 millimeters

**Overall Diameter:**

68.45 millimeters

**Shortest Horizontal Distance Between Mounting Centers:**

35.99 millimeters

**Indicator Type:**

Dial w/pointer

**Installation Design:**

Panel

**Mounting Arrangement Style:**

Three hole/stud triangular

**Dial Scale Marking Color:**

White single indicator single range

**Accuracy In Percent:**

-2.0/+2.0 at full scale single indicator single range

**Meter Depth Behind Mounting Flange:**

40.64 millimeters

**Meter Body Diameter Behind Mounting Flange:**

56.13 millimeters

**Background Color:**

Black single indicator single range

**Pointer Color:**

White single indicator single range

**Mounting Facility Type And Quantity:**

3 screw

**Scale Graduation Type:**

Nonlinear single indicator single range

**Measurement Range:**

-200.0/+200.0 volts single indicator single range

**Circuit Attachment Method And Quantity:**

2 connector, receptacle

**Style Designator:**

C1 round flush mtg

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A310a0