

View Online at <https://aerobasegroup.com/nsn/6625-01-523-5504>

Overall Depth:

Between 9.100 inches and 11.350 inches

Overall Height:

Between 10.500 inches and 11.200 inches

Overall Width:

Between 17.600 inches and 19.000 inches

Current Type:

Ac and dc

Voltage Rating:

Between 150.0 volts and 400.0 volts

Beam Quantity:

0

Mounting Method:

Rack

Screen Size:

10.4 inch display

Sweep Circuits:

Not included

Generator Driven Feature:

Included

Single Trigger Sweep Duration:

Between 1.0 nanoseconds and 1.0 microseconds

Trigger Sweep Voltage Amplitude Rating:

Between 40.0 millivolts and 750.0 millivolts

Trigger Sweep Polarity Switch:

Not included

Amplifier Deflection Sensitivity Provision:

Not provided

Input Intensity Modulation Feature:

Not provided

Plate Direct Connection Deflection Sensitivity Provision:

Not provided

Frequency Response Rating:

Not provided

Amplifier Input Impedance Rating Provision:

Provided

Amplitude Calibrating Voltage Waveform:

Square wave and triangular wave

Calibrated Screen Scale:

Not included

Trace Storage Tube:

Not included

Trace Erasing Provision:

Not provided

Camera Recording Device Accommodation:

Not provided

Product Name:

Digital phosphor oscilloscope

Special Features:

Operating temperature 5 degrees celsius to 45 degrees celsius; operating altitude 10000 ft; 500 mhz; 5gs/s; 2 channel digital phosphor oscilloscope

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

T320-g