

View Online at <https://aerobasegroup.com/nsn/6625-01-548-3085>

End Application:

Automatic test equipment

Component Document Origin:

Government

Document Source:

98752

Document Type:

Purchase description

Component Document Page Number:

1

Usage Design:

Noise source calibration

Document Identification:

Pd07wrgtrnd20

Functional Classification:

Aa-10.6

Special Features:

Will include noise generators with type n and 3.5 mm connectors, computer with the following requirements, 1ghz pentium four processor, 20gig hard drive, 128mb of ram, windows 2000 or higher operating system, ieee488 controller card, ethernet card, 17 inch monitor, and laser printer, controller card, lan card, operating system will be pre installed, frequency range will be 10mhz to 18ghz (type n), 10mhz to 26.5ghz (3.5mm), power requirements will be 110v rms or 220v rms plus or minus 10 percent, freq requirements will be 50hz and 60hz plus or minus 6 percent, warm up period will not exceed 60 minutes, each unit will not exceed 50 pounds, all units combined will not exceed 200 pounds

Reference Data And Literature:

Mil-prf-28800

Relationship To Similar Equipment:

6625-01-536-5656

Purchase Description Identification:

Pd07wrgbtrnd20

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fig:

A23800

Mil-std (military Standard):

Mil-prf-28800 spec.