## NSN 6625-01-550-1521

Signal Generator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6625-01-550-1521 **Mounting Type:** Rack **Overall Length:** 20.300 inches **Overall Height:** 7.000 inches **Overall Width:** 16.800 inches **Frequency Range Rating:** +250.000/+999.999 kilohertz and +1.000/+999.999 megahertz and +1.000/+20.000 gigahertz **End Application:** Vdats **Output Impedance Rating:** 50.0 ohms **Frequency Band Quantity: Modulation Type:** Am and fm and pulse and square wave **Fixed Frequency Quantity: Maximum Signal Output:** 250khz to 3.2ghz (-135 to +15dbm); 3.2ghz to 10ghz (-135 to +21dbm); 10ghz to 20ghz (-135 to +19dbm) **Modulator Location:** Any acceptable **Extra Long Reference Number:** E8257d-007-520-903-unt-unw-unx-1cp-1eh-1eu-1e1 **Functional Classification:** Bb-1.1 **Special Features:** Option (007) analog ramp sweep; (520) 250 khz to 20 ghz; (903) u.S and canada power cord; (unt) am, fm, phase modulation and If output; (unw)narrow pulse modulation; (unx)ultra low phase noise; (1cp)rackmount flange and front handle kit; (1ea)extended power output; (1eh)improved harmonics below 2ghz; (1e1) step attenuator **Reference Data And Literature:** T.O.51c3-1-143-3: tech manual 393a1-5-563-11 **Relationship To Similar Equipment:** 6625-01-532-6539 with listed options **Reference Number Differentiating Characteristics:** Differentiated by options Shelf Life: N/a

**Demilitarization:** Yes - demil/mli

**Unit Of Measure:** 

## NSN 6625-01-550-1521

Signal Generator - Page 2 of 2



Fiig:

Т320-ј