

View Online at <https://aerobasegroup.com/nsn/6625-01-579-8912>

Mounting Type:

Self-contained in case and table

Overall Length:

350.0 millimeters

Overall Height:

147.0 millimeters

Overall Width:

219.0 millimeters

Current Type:

Ac

Frequency Rating:

Between 50.0 hertz and 60.0 hertz

Frequency Range Rating:

+8.000/+9.000 kilohertz and +2.000/+3.000 gigahertz

End Application:

Instrument group

Internal Battery Accommodation:

Not included

Voltage Rating:

Between 100.0 volts and 240.0 volts

Modulation Type:

Pulse

Modulation Degree:

Between 0.1 percent and 100.0 percent

Product Name:

Rf signal generator

Special Features:

R&s sm300 model; display type-5.4inch active color tft display; resolution 320x240 pixels; memory locations-device setups-10; protection class din en61010-1/iec61010-1 ul3111-1; csa 22.2 no.1010.1

Supplementary Features:

Rf outputs n female connector front panel; lf output bnc female connector front panel; reference frequency output-bnc female; usb host-a plug connector; usb interface-b plug connector

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

T320-j