

View Online at <https://aerobasegroup.com/nsn/6630-01-314-6669>

Circuit Current For Which Designed:

Ac

Frequency Rating:

Between 50.0 hertz and 60.0 hertz

Furnished Items And Quantity:

Electrode holder-1; support rod-1; combination laboratory grade ph electrode w/sufficient gel-1

Indicator Type:

Dial w/pointer

Installation Design:

Bench

Smallest Graduation Unit:

20.00 millivolts and 0.20 ph

Measurement Range:

+0.0/+14.0 ph single indicator 2nd range

Scale Selection Method:

Switch

Accuracy Rating:

Porm 0.1 ph unit all indicators all ranges

Operating Voltage Rating In Volts:

Between 120.0 ac and 230.0 ac

Exterior Container Weight:

40.000 pounds

Exterior Container Cubic Measure:

0.4836 cubic feet

Exterior Container Quantity:

4

Phase:

Single

Special Features:

In reusable container; for measuring hydrogen ion content in buffets' and media preparation

Nuclear Hardness Critical Feature:

Nonhardened

Style Designator:

Rectangular surface mtg

Unit Of Issue Cube:

0.1209 cubic feet

Unit Of Issue Weight:

10.000 pounds

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A310a0