Electric Salinity Indicating Meter - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/6630-01-600-4957

Circuit Current For Which Designed:

Dc

Overall Depth:

4.500 inches

Overall Height:

4.000 inches

Overall Width:

3.400 inches

Indicator Type:

Dial w/pointer

Installation Design:

Hand held

Accuracy In Percent:

-2.0/+2.0 at full scale 1st indicator single range

Measurement Range:

+0.0/+5000.0 parts per million 1st indicator single range

Features Provided:

Temperature compensator

Product Name:

Poolmeter

Special Features:

Converts electrical conductivity directly into parts per million (ppm) of total dissolved solids (tds) or ppm sodium chloride (na cl) as selected; dimensions: 3.4 x 4.5 x 4.0 in (86 x 114 x 102 mm); self-contained with built-in cup and sensors; temperature automatically compensated to 25 degrees c (77 degrees f) from 10 to 71 degrees c (50 to 160 degrees f); powered by 9 volt battery; battery life: approx. 2000 tests or 1 year shelf life; ranges: 0-5000 ppm tds or 0-5000 ppm sodium chloride

Style Designator:

Portable

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A310a0