

View Online at <https://aerobasegroup.com/nsn/6635-00-458-2707>

**Torque Indicating Mechanism:**

Dial

**Torque Capacity:**

Between 0.0 inch-pounds and 800.0 inch-ounces

**Torque Scale Graduation:**

0.10 inch-ounces

**Torque Signal Method:**

Dial indicator

**Drive Surface Size:**

0.250 inches single end

**Drive End Shape:**

Hexagon single end external

**Special Features:**

Dual ranges 0-50 in-lb & 0-800 inoz in increments of 0.05 in-lb to 1.0 in-oz; 14 lbs; 2 standard adapters 0.25 in & 0.375 in; single station; type 1a; accuracy form 1 pct; oper temp 32-125 degrees f

**Functional Description:**

Measures static torque; verifies accuracy of dial, free wheeling, click type & light &/or sound indicating torque setting overload clutches/couplings; measures torque as a function of airpressure, force or voltage on clutches/brakes; measures friction torque in bearings/gear trains; measures stalling torque on electric, air & hydraulic motors

**Material:**

Aluminum

**Specification Data:**

81349-mil-t-26639 government specification

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A102a0