

View Online at <https://aerobasegroup.com/nsn/6635-00-530-0009>

Mounting Type:

Floor

Current Type:

Ac

Prime Mover Horsepower Rating:

1.0

Drive Type:

Belt

Angular Unbalance Location Method:

Graduated dial

Maximum Working Weight Capacity:

300.0 pounds

Minimum Working Weight Capacity:

15.0 pounds

Swing Maximum Diameter:

24.000 inches

Maximum Distance Between Bearing Shoulders:

24.000 inches

Shaft Maximum Diameter At Bearing:

5.000 inches

Work Support Type:

Half bearing

Vibration Sensitivity Rating:

0.000025 inches

Integral Correction Drilling Attachment:

Not included

Unpackaged Unit Weight:

1800.000 pounds

Voltage In Volts:

220.0

Functional Classification:

Aa-8.9

Frequency In Hertz:

60.0

Functional Description:

Elect device used to locate & meas unbalance in rotating parts or assemblies which weigh btwn 15 & 300 lb

Entry Date:

70-04-01

Reference Data And Literature:

Gisholt catalog

Relationship To Similar Equipment:

INTE-RC-HAN-GEAB

Type/model Designation:

3s

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

T137-e