

View Online at <https://aerobasegroup.com/nsn/6635-01-364-5526>

Carrying Case:

Not provided

Usage Design:

External and internal

Indicator Type:

Audio tone and digital counter

Installation Design:

Bench

Test Type:

Bolt hole inspection

Unpackaged Unit Weight:

19.000 pounds

Indicator Reading Type:

Multiple

Indicator Design:

Direct reading or electronic signal alarm

Special Features:

Freq range f1: 100hz-3mhz. F2: 1/2, 1/4, 1/8 or 1/16 of f1; 5 in. Digital storage; rs-170 compatible; sidebashows current instrument settings; lcdreadout, 2 lines of 16 char ea; sweep: 0.005-4.0 sec/div, variable or externally triggered; alarms avail in 5 modeson impedance plane display; differential, absolute, reflection probes; stores up to 100 setups, 20 data storage locations; tape out avail; video output; rs-232 compatible; 12 vdc, gelled leadacid battery (8-hr); incl battery charger (120-240 vac, 50/60 hz); 5.500 in.H; 12.000 in. W; 15 in. Dp; chassis modular aluminum w/polyurethane bumpers

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

T264-b