

View Online at <https://aerobasegroup.com/nsn/6640-00-765-0621>

**Overall Height:**

8.000 inches

**Overall Length:**

16.125 inches

**Overall Width:**

15.000 inches

**Height:**

4.250 inches

**Inside Width:**

11.625 inches

**Inside Length:**

12.750 inches

**Cover Quantity:**

1

**Inside Depth:**

5.000 inches

**Cover Type:**

Gable

**Operating Temperature Range:**

+30.0 to 100.0 degrees celsius

**Handle:**

Furnished

**Insulated Feature:**

Included

**Hinge Feature:**

Not included

**Accessory Components And Quantity:**

Spare heating elements, 2; cord w/3-prong plug, 1; thermometer and holder, 1

**Universal Medical Device Nomenclature System Code:**

15108

**Receptacle Quantity:**

20

**Opening Quantity:**

1

**Heating Element Current Type:**

Ac

**Heating Element Phase:**

Single

**Heating Element Wattage In Watts:**

400.0

**Heating Element Type:**

Electric immersion

**Heating Element Quantity:**

2

**Heating Element Voltage Rating:**

115.0 volts

**Reservoir Material:**

Steel, corrosion resisting

**Reservoir Removability:**

Nonremovable

**Constant Water Level Attachment:**

Not included

**Low Water Cutoff:**

Not included

**Nest Ring Quantity:**

0

**Test Tube Rack:**

Included

**Receptacle Diameter:**

0.625 inches

**Heating Element Frequency Rating:**

Between 50.0 hertz and 60.0 hertz

**Agitator:**

Not included

**Thermoregulator:**

Included

**Accuracy Range:**

-0.5 to 0.5 degrees celsius

**Temperature Regulating Settings:**

Variable temp control

**Cooling Coils For Below Room Temperature Use:**

Not included

**Thermometer Opening:**

Provided

**Pilot Light:**

Included

**Product Name:**

Water bath electric crs rect 115v 50/60hz ac 30to100deg celsius

**Special Features:**

Serological

**Length:**

10.000 inches

**Material:**

Steel, corrosion resisting

**Material:**

Stainless steel

**Quantity:**

5

**Shape:**

Rectangular

**Width:**

2.000 inches

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

T269-j