## NSN 6640-01-416-1385

Bacteriological Incubator - Page 1 of 2

View Online at https://aerobasegroup.com/nsn/6640-01-416-1385



Current Type:	
Ac	
Frequency Rating:	
Between 50.0 hertz and 60.0 hertz	
Outside Width:	
24.500 inches	
Outside Height:	
65.000 inches	
Voltage Rating:	
120.0 volts and 230.0 volts	
Power Rating:	
1700.0 watts	
Control Type:	
Temperature control dial and thermostat	
Operating Tempurature Range In Deg Celsius:	
+10.0/+65.0	
Heat Source For Which Designed:	
Integral	
Outside Depth:	
24.000 inches	
Heating Method:	
Electrical	
Water Jacket:	
Not provided	
Shelf Quantity:	
12	
Shelf Adjustability:	
Adjustable	
Circulation Method:	
Gravity	
Insulated Cabinet:	
Provided	
Shelf Material:	
Steel, stainless	
Cabinet Outer Wall Material:	
Steel	
Cabinet Inner Wall Material:	
Steel, stainless	
Outer Door Quantity:	
2	
Outer Door Material:	
Steel	

## NSN 6640-01-416-1385

Bacteriological Incubator - Page 2 of 2



Inner Door Quantity:

2

Inner Door Material:

Glass

## Product Name:

Incubator bacteriological electrical 120/230v 50/60hz 65x24x24"

Phase:

Single

## **Special Features:**

Dual chambered vertical carbon dioxide incubator. Each chamber is 22 x 22 x 22 inches and independently regulated, providing separate hot wall heating, humidity and co2 tension for micro-biological cultures which require varying environments. Automatic or manually controlled. Flow rate from 0.06 to 0.44 liters per minute.

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

T269-e