## NSN 6645-00-595-5431

Wrist Watch - Page 1 of 3



View Online at https://aerobasegroup.com/nsn/6645-00-595-5431

Occupably to mostly
Overall Length:
1.877 inches
Overall Width:
1.664 inches
Case Material:
Steel, corrosion resisting
Case Surface Treatment:
Dull nonreflecting
Overall Thickness:
0.625 inches
Dial Outside Diameter:
1.120 inches
Submersibility:
Submersible
Waterproof Feature:
Included
Face Type:
Open frame
Graduation Unit:
1.000 hour and 1.000 minute and 1.000 second
Dial Scale Marking Color:
White, federal standard 595, 37875
Scale Quantity:
2
Scale Range:
+0.0/+60.0 second and +0.0/+60.0 minute and +0.0/+12.0 hour and +13.0/+24.0 hour
Movement Type:
Continuous running
Background Color:
Black, federal standard 595, 37038
Scale Name:
Standard time and supplemental military time
Maximum Running Time:
36.0 hours
Winding Device Location:
Internal or side
Nonmagnetic Characteristic:
Included
Major Graduation Color:
White, federal standard 595, 37875
Minor Graduation Color:

White, federal standard 595, 37875

## NSN 6645-00-595-5431

Wrist Watch - Page 2 of 3



Luncia ava Numanalu
Luminous Numeral:
Not included
Separate Totalizer Dial:
Not included
Luminous Dial:
Not included
Hand Quantity:
3
Hand Designation:
Hour hand and minute hand and second hand
Hand Type:
Sweep and sweep
Hand Color:
White, federal standard 595, 37875 and white, federal standard 595, 37875 and white, federal standard 595, 37875
Luminous Hand:
Not included
Jewel Quantity:
17
Movement Size Designation:
Any acceptable
Winding Method:
Self or stem
Shockproof Feature:
Provided
Striking Mechanism:
Not included
Civil Date Indicator:
Not included
Correct Time Reset Type:
Stem
Stopwatch Feature:
Not included
Second Setting Feature:
Not included
Crystal Type:
Plastic
Maximum Test Pressure In Psi:
521.0
Stem Cap:
Not provided
Specification Or Standard:
B class and 2 type
Shelf Life:

N/a

## NSN 6645-00-595-5431

Wrist Watch - Page 3 of 3



	• •				
In	18	<i>(</i> )+	МЛО	201	ure:

--

Demilitarization:

No

Fiig:

T270-b