NSN 6650-01-458-6500

Borescope Guide Rigid Casing - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/6650-01-458-6500

| Outside Diameter: |
|--|
| 0.375 inches |
| Overall Length: |
| 8.000 inches |
| End Application: |
| Aborescope inspection of f117-pwa-100 high bypass turbofan engines; c-17 aircraft |
| End Connection Type: |
| Threaded male first end |
| Product Name: |
| Manufacturers name is tube, guide-engine assembly, borescope, hpc 6th stage, rear blade root/disk |
| Special Features: |
| Used to guide fiberscope for inspection of the 6th stage hpc blade rearroot attachment and disk; the guide tube is designed for use with |
| 5mm (or less) diameter fiberscopes; the guide tube is shaped like a j with a 30 degreebend angle for positioning the tip of the fiberscope |
| near the 6th stage blade rear root attachment and disk; weight 1 lb; operating temperature -40 to +125 degree f; finish is passivated; |
| stainless steel tubing 8 inches long by 0.375 inches in diameter by 1 inch in height |
| Material: |
| Stainless steel |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| No |
| Fiig: |
| A524s0 |
| |
| |