

View Online at <https://aerobasegroup.com/nsn/6680-00-019-0529>

Overall Length:

5.375 inches

Media For Which Designed:

Air or water

Inlet Connection Type:

Threaded

End Application:

Poseidon

Integral Relief Valve:

Not included

Meter Type:

Float

Design Type:

Case

Unit Type:

Mounted

Scale Quantity:

1

Construction:

Open front

Outlet Connection Type:

Threaded

Scale Marking:

Gal per hr

Scale Type:

Direct capacity reading

Float Quantity:

1

Tube Material:

Glass, borosilicate

Mounting Method:

Direct line

Carrying Handle:

Not included

Dial Scale Marking Range:

+0.0 to 10.0

Outlet Connection Size:

0.125 npt

Base:

Not included

Float Type:

Free

Float Material:

Glass or steel, stainless

Integral Heat Source:

Not included

Maximum Working Pressure:

200.0 pounds per square inch

Inlet Connection Size:

0.125 npt

Metering Tube Quantity:

1

Dial Scale Smallest Increment:

2 gph

Dial Scale Reference Pointer:

Not included

Spinning Float:

Not included

Integral Pulsation Dampener:

Not included

Inlet Connection Position For Which Designed:

Horizontal

Inlet Connection Device Type:

Stationary

Outlet Connection Position For Which Designed:

Horizontal

Outlet Connection Device Type:

Stationary

Alarm Signal:

Not included

Special Features:

Max operating temp 200 degrees f; size 4; no. Bj-5 float; one additional scale marking cubic ft per hr

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

T134-t