NSN 6680-00-061-8038

Flow Rate Indicating Meter - Page 1 of 2

View Online at https://aerobasegroup.com/nsn/6680-00-061-8038



Overall Length: 5.750 inches Media For Which Designed: Water, salt **Inlet Connection Type:** Threaded **Integral Relief Valve:** Not included **Meter Type:** Float **Design Type:** Glass **Unit Type:** Mounted **Scale Quantity: Outlet Connection Type:** Threaded Scale Marking: Gpm Scale Type: Direct capacity reading Float Quantity: **Tube Material:** Glass **Mounting Method:** Direct line **Dial Scale Marking Range:** +0.2/+1.0 **Outlet Connection Size:** 1/2 in. lps Float Type: Free Float Material: **Brass Integral Heat Source:** Not included **Maximum Working Pressure:** 175.0 pounds per square inch

Inlet Connection Size:

1/2 in. lps

NSN 6680-00-061-8038Flow Rate Indicating Meter - Page 2 of 2



Metering Tube Quantity:
1
Dial Scale Smallest Increment:
0.2
Dial Scale Reference Pointer:
Not included
Spinning Float:
Not included
ntegral Pulsation Dampener:
Not included
nlet Connection Position For Which Designed:
Horizontal
nlet Connection Device Type:
Stationary
Outlet Connection Position For Which Designed:
Horizontal
Outlet Connection Device Type:
Stationary
Alarm Signal:
ncluded
Reference Number Differentiating Characteristics:
Apsj, ateq, ackl, astw, cpzg, cpzh, bhby, aewh, cpzj, cpzk, awae, cpzl, bjdm, cpzm, bhsq, abhp, acqw, cpzd, cpzp, cpzq, arth, bhcm, cpzr,
and cpzs
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
Γ134-t