## NSN 6680-00-089-0371



Flexible Shaft Assembly - Page 1 of 2	Group
View Online at https://aerobasegroup.com/nsn/6680-00-089-0371	
Thread Class:	
2b both ends	
Thread Direction:	
Right-hand both ends	
Thread Length:	
0.375 inches second end	
Overall Length:	
111.109 inches	
Wrenching Facility Outside Diameter:	
0.750 inches second end	
Tip Length:	
0.734 inches first end	
Shank Outside Diameter:	
0.625 inches first end	
Core Material:	
Steel	
Screw Thread Series Designator:	
Uns first end	
Core Surface Treatment:	
Zinc coated	
Core Diameter:	
0.150 inches	
Thread Location:	
Internal both ends	
End Type:	
Square male second end	
End Connection Type:	
Threaded internal both ends	
Setscrew:	
Not included both ends	
Casing Material:	
Steel	
Wrenching Facility Type:	
Knurled surface both ends	

**Cross Section Size And Location:** 

0.152 inches diameter first end

**Casing Surface Treatment:** 

Zinc coated

**Casing Length Between Ferrules:** 

107.000 inches

**Casing Outside Diameter:** 

0.437 inches

## **NSN 6680-00-089-0371**Flexible Shaft Assembly - Page 2 of 2



Swivel End:
Not provided both ends
Enddiameter:
1.000 inches first end
Lubrication Fitting:
Not provided both ends
Corelength:
111.109 inches
Core Rotation Direction:
Clockwise
Core Removability:
Removable
Minimum Operating Radius:
5.000 inches
Fsc Application Data:
Shaft assemblies, flexible, tachometer
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
T246-e