

View Online at <https://aerobasegroup.com/nsn/6680-00-091-9718>

Thread Class:

2b both ends

Thread Direction:

Right-hand both ends

Overall Length:

181.125 inches

Thread Depth:

0.375 inches both ends

Tip Length:

0.700 inches and 0.950 inches first end

Core Material:

Steel

Screw Thread Series Designator:

Uns first end

Core Diameter:

0.150 inches

Thread Location:

Internal both ends

End Type:

Square male second end

Width Across Flats:

1.000 inches first end

End Connection Type:

Threaded internal both ends

Setscrew:

Not included both ends

Casing Material:

Rubber

Wrenching Facility Type:

Hexagon both ends

Cross Section Size And Location:

0.150 inches diameter and 0.153 inches diameter first end

Torsional Deflection Rating:

Not rated

Casing Surface Treatment:

Galvanized

Casing Length Between Ferrules:

180.000 inches

Casing Outside Diameter:

0.445 inches

Casing Protective Device Type:

Rubber cover

Lubrication Fitting:

Not provided both ends

Corelength:

Between 180.960 inches and 181.370 inches

Core Rotation Direction:

Clockwise

Core Removability:

Removable

Minimum Operating Radius:

5.000 inches

Departure From Cited Document:

As modified by lg between ferrules

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

T246-e