NSN 6680-00-118-1789

Flexible Shaft Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6680-00-118-1789
Thread Class:
2b both ends
Thread Pitch Diameters:
+0.8389 to 0.8449 inches first end
Thread Direction:
Right-hand both ends
Overall Length:
175.125 inches
Wrenching Facility Outside Diameter:
0.938 inches first end
Thread Depth:
0.375 inches both ends
Tip Length:
1.495 inches first end
End Application:
B-52 aircraft support equipment
Shank Outside Diameter:
0.500 inches first end
Core Material:
Steel
Screw Thread Series Designator:
Uns first end
Core Diameter:
0.150 inches
Thread Location:
Internal both ends
End Type:
Square male second end
End Connection Type:
Threaded internal both ends
Setscrew:
Not included both ends
Casing Material:

Plastic and steel

Wrenching Facility Type:

Knurled surface both ends

Cross Section Size And Location:

0.205 inches diameter first end

Casing Surface Treatment:

Zinc coated

Casing Length Between Ferrules:

174.000 inches

NSN 6680-00-118-1789Flexible Shaft Assembly - Page 2 of 2



Casing Outside Diameter		
0.445 inches		
Swivel End:		
Not provided both ends		
Enddiameter:		
1.000 inches first end		
Lubrication Fitting:		
Not provided both ends		
Corelength:		
175.125 inches		
Core Rotation Direction:		
Clockwise		
Core Removability:		
Removable		
Shelf Life:		
N/a		
Unit Of Measure:		
Demilitarization:		
No		
Fiig:		
T246-e		