## NSN 6680-00-118-1789

Flexible Shaft Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6680-00-118-1789

Thread Class:
2b both ends
Thread Pitch Diameters:
+0.8389 to 0.8449 inches first end
Thread Direction:
Right-hand both ends
Overall Length:
175.125 inches
Wrenching Facility Outside Diameter:
0.938 inches first end
Thread Depth:
0.375 inches both ends
Tip Length:
1.495 inches first end
End Application:
B-52 aircraft support equipment
Shank Outside Diameter:
0.500 inches first end
Core Material:
Steel
Screw Thread Series Designator:
Uns first end
Core Diameter:
0.150 inches
Thread Location:
Internal both ends
End Type:
Square male second end
End Connection Type:
Threaded internal both ends
Setscrew:
Not included both ends
Casing Material:
Plastic and steel
Wrenching Facility Type:
Knurled surface both ends
Cross Section Size And Location:
0.205 inches diameter first end
Casing Surface Treatment:
Zinc coated
Casing Length Between Ferrules:
174.000 inches

## NSN 6680-00-118-1789

Flexible Shaft Assembly - Page 2 of 2



**Casing Outside Diameter:** 

0.445 inches

Swivel End:

Not provided both ends

Enddiameter:

1.000 inches first end

## Lubrication Fitting:

Not provided both ends

## Corelength:

175.125 inches

**Core Rotation Direction:** 

Clockwise

Core Removability:

Removable

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

T246-e