

View Online at <https://aerobasegroup.com/nsn/6680-00-127-9684>

Overall Length:

4.874 inches 4.874 inches

Overall Height:

3.500 inches 3.500 inches

Overall Width:

2.250 inches 2.250 inches

Shaft Diameter:

Between 0.187 inches and 0.187 inches and 0.1875 inches 0.1875 inches

Shaft Length:

0.750 inches 0.750 inches

Longest Horizontal Distance Between Mounting Centers:

2.000 inches 2.000 inches

Longest Vertical Distance Between Mounting Centers:

1.500 inches 1.500 inches

End Application:

Mk 309 control panelmk 309 control panel

Register Quantity:

11

Figure Quantity Per Register:

5 single register single tier5 single register single tier

Figure Height:

0.500 inches single register single tier0.500 inches single register single tier

Shaft Revolutions Per Count:

0.10 single register single tier0.10 single register single tier

Maximum Count Rate:

15000.0 per minute single register single tier15000.0 per minute single register single tier

Mounting Arrangement Style:

Four position square/rectanglefour position square/rectangle

Register Reset Method:

Any acceptable single register single tier

Register Function:

Add and subtract single register single tier

Actuating Device Location:

Right side single register single tier

Mounting Facility Type And Quantity:

4 threaded hole

Mounting Type For Which Designed:

Base single register single tier

Criticality Code Justification:

Abwv

Numerical Display Method:

Drum

Numeral Readout:

00000 and 99990 single register single tier

Shaft Rotation Direction And Maximum Speed In Rpm:

1500.0 clockwise single register single tier

Special Features:

Counterclockwise shaft rotation direction, lined increments on units and tens wheel; nonresettable

Color:

White single register single tier figure

Style Designator:

Unenclosed square or rectangular

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A236a0